

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)	Wen-Tien Chen	Examiner:	Stephen L. Rawlings
Patent No.:	7,250,492	Issued	July 31, 2007
Serial No.:	10/727,211	Group Art Unit:	1643
Filed:	December 3, 2003	Docket:	178-295 CIP/CON
For:	COMPOSITIONS AND METHODS FOR INHIBITION OF CANCER INVASION AND ANGIOGENESIS	Dated:	June 20, 2008

Mail Stop Certificate of Correction Branch
Commissioner For Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate of EFS-Web Transmission

I hereby certify that this correspondence is being transmitted to the U.S. Patent and Trademark Office via the Office's electronic filing system on **June 20, 2008**.

Lisa Guzzardo
(Printed Name)

Signature: /lisa guzzardo/

**REQUEST FOR CERTIFICATE OF CORRECTION OF
PATENT PURSUANT TO 37 C.F.R. §1.322**

Sir:

Please issue a Certificate of Correction in accordance with 37 C.F.R. §1.322 to correct the errors in the patent as set forth hereinbelow and on the enclosed copy of Patent Office Form PTO-1050.

IN THE PATENT:

Column 2, line 38:

Now reads: "arthritis,"

Should read: --arthritis,--

Column 18, line 25:

Now reads: "mim-reservoir,"

Should read: --mini-reservoir,--

Column 23, line 8:

Now reads: "as an adhesin receptor ,"

Should read: --as an adhesion receptor,--

Column 27, line 12:

Now reads: "seprase+/DPPJV+ ,"

Should read: --seprase+/DPPIV+,--

Column 28, line 57:

Now reads: "Alternatively, continuous ,"

Should read: --Alternatively, continuous,--

Applicant submits that the errors marked above occurred through no fault of the Applicant. Accordingly, no fee is due.

Respectfully submitted,

/anna c. chau/

Anna C. Chau

Registration No.: 54,637

HOFFMANN & BARON, LLP
6900 Jericho Turnpike
Syosset, New York 11791
(516) 822-3550
ACC/lg
296608_1.DOC

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : US 7,250,492 B2
ISSUE DATE : July 31, 2007
INVENTOR(S) : Wen-Tien Chen

It is certified that errors appear in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

IN THE SPECIFICATION:

Column 2, line 38,	now reads "arthritis" should read --arthritis--
Column 18, line 25,	now reads "mim-reservoir" should read -- mini-reservoir --
Column 23, line 8,	now reads "as an adhesin receptor" should read -- as an adhesion receptor --
Column 27, line 12,	now reads "seprase+/DPPJV+" should read -- seprase+/DPPIV+--
Column 28, line 57,	now reads "Alternatively, continuous" should read -- Alternatively, continuous --

MAILING ADDRESS OF SENDER
Anna C. Chau, Esq.
HOFFMANN & BARON, LLP
6900 Jericho Turnpike
Syosset, New York 11791

PATENT NO. 7,250,492 B2